Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light

sources	recording neodi	2,11011 (20) 2013, 20	ora with regular to energ	by labelling of light							
Supplier's name or trade mark: NUD COLLECTION Supplier's address: Product Development, Trumslagar Blomgrens väg 4, SE Model identifier: 911327125-3SL											
							Type of light so	urce:			
							Lighting techno	logy used:	LED	Non-directional or directional:	NDLS
Light source cap-type (or other electric interface)		E27									
Mains or non-m	nains:	MLS	Connected light source (CLS):	Yes							
Colour-tuneable	e light source:	No	Envelope:	-							
High luminance light source:		No									
Anti-glare shield:		No	Dimmable:	Yes							
Product parameters											
Parameter		Value	Parameter	Value							
		General product p									
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		3	Energy efficiency class	G							
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		137 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 200							
On-mode power (P _{on}), expressed in W		2,8	Standby power (P _{sb}), expressed in W and rounded to the second decimal	0,00							
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		0,00	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	95							
Outer	Height	176	Spectral power	See image							
dimensions without	Width	125	distribution in the	in last page							
without	Depth	125									

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load				
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-			
		Chromaticity coordinates (x and y)	0,502			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	79	Survival factor	0,97			
the lumen maintenance factor	0,97					
Parameters for LED and OLED mains light sources:						
displacement factor (cos φ1)	0,00	Colour consistency in McAdam ellipses	0			
Claims that an LED light source replaces a fluorescent light source without integrated ballast of a particular wattage.	_(b)	If yes then replacement claim (W)	-			
Flicker metric (Pst LM)	0,0	Stroboscopic effect metric (SVM)	0,0			

(a)_{'-'} : not applicable;

(b)_{'-'} : not applicable;

