Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

sources				
Supplier's name or trade	e mark:	HAY		
Supplier's address: Hell	e Kabels,	, Havnen 1, 8700 Ho	orsens, DK	
Model identifier: PC, 41	.0465			
Type of light source:				
Lighting technology used:		LED	Non-directional or directional:	NDLS
Light source cap-type		Integrated LED		
(or other electric interface)				
Mains or non-mains:		NMLS	Connected light source (CLS):	No
Colour-tuneable light sou	urce:	No	Envelope:	-
High luminance light sou	rce:	No		
Anti-glare shield:		No	Dimmable:	Yes
		Product para	meters	
Parameter		Value	Parameter	Value
		General product p	parameters:	
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		6	Energy efficiency class	G
Useful luminous flux indicating if it refers to to in a sphere (360°), in cone (120°) or in a narro (90°)	he flux a wide w cone	490 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000
On-mode power (P _{on}), expressed in W		5,7	Standby power (P _{sb}), expressed in W and rounded to the second decimal	0,00
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	83
Outer Height		550	Spectral power	See image
dimensions Width		140	distribution in the	in last page
without Depth		500		Page 1 /

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load			
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-		
		Chromaticity coordinates (x and y)	0,427		
Parameters for LED and OLED light sources:					
R9 colour rendering index value	8	Survival factor	0,90		
the lumen maintenance factor	0,98				

(a)'-': not applicable; (b)'-': not applicable;

